

	Type	Hits	Search Text	DBs
1	BRS	48	4,996,646	USPAT; US-PGPUB
2	BRS	3	6,297,939	USPAT; US-PGPUB
3	BRS	3	6,167,329	USPAT; US-PGPUB
4	BRS	557	361/64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	multi adj zone same breaker and low adj current	USPAT; US-PGPUB
6	BRS	0	multi adj zone same breaker and low adj (current threshold)	USPAT; US-PGPUB
7	BRS	8	multi adj zone same breaker	USPAT; US-PGPUB
8	BRS	0	multi adj zone same breaker and current adj (reduce reduction reducing)	USPAT; US-PGPUB
9	BRS	0	multi adj zone same breaker and current adj (low lower lowering reduce reduction reducing)	USPAT; US-PGPUB
10	BRS	0	(multi multiple plural) adj zone same breaker and current adj (reduce reduction reducing low lower lowering)	USPAT; US-PGPUB
11	BRS	10	(multi multiple plural) adj zone same breaker	USPAT; US-PGPUB
12	BRS	10	(multi multiple plural) adj (zones zone) same breaker	USPAT; US-PGPUB
13	BRS	217	circuit adj breaker and (upstream downstream) same (communication communicating communicate)	USPAT; US-PGPUB
14	BRS	6	circuit adj breaker and (upstream downstream) same (communication communicating communicate) and current adj (reduce reduction resucing low lower lowering)	USPAT; US-PGPUB
15	BRS	86	circuit adj breaker same (computer microprocessor processor) same (communicationcommunicating communicate)	USPAT; US-PGPUB
16	BRS	240	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
1	2003/10/21 14:32			0
2	2003/09/09 16:40			0
3	2003/09/09 17:03			0
4	2003/09/09 17:03			0
5	2003/09/10 09:36			0
6	2003/09/10 09:35			0
7	2003/09/10 09:38			0
8	2003/09/10 09:37			0
9	2003/09/10 09:37			0
10	2003/09/10 09:39			0
11	2003/09/10 09:41			0
12	2003/09/10 09:42			0
13	2003/09/10 09:43			0
14	2003/09/10 09:49			0
15	2003/09/10 09:50			0
16	2003/09/10 09:51			0

	Type	Hits	Search Text	DBs
17	BRS	134	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and current same (low lower lowering reduce redicing reduced)	USPAT; US-PGPUB
18	BRS	90	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and current same (low lower lowering reduce redicing reduced) and delay	USPAT; US-PGPUB
19	BRS	2	("4535409" "5162664").PN.	USPAT
20	BRS	3	5373412.URPN.	USPAT
21	BRS	35	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)and high adj impedance	USPAT; US-PGPUB
22	BRS	578	361/93.1	USPAT; US-PGPUB
23	BRS	253	361/93.2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	48	4,996,646	USPAT; US-PGPUB
25	BRS	299	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	7	circuit adj breaker same (computer microprocessor processor) same (communication communicating communicate) and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	2160	circuit adj breaker and trip and distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	103	circuit adj breaker and trip and distribution and current adj3 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	22	circuit adj breaker and trip and distribution and communication and current adj3 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	16	circuit adj breaker and trip and distribution and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	26	3,,558,983	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
17	2003/09/10 09:52			0
18	2003/09/10 11:02			0
19	2003/09/10 10:23			0
20	2003/09/10 10:28			0
21	2003/09/10 11:56			0
22	2003/09/10 11:56			0
23	2003/09/10 13:08			0
24	2003/10/21 09:55			0
25	2003/10/21 10:06			0
26	2003/10/21 10:23			0
27	2003/10/21 10:24			0
28	2003/10/21 10:24			0
29	2003/10/21 10:27			0
30	2003/10/21 10:36			0
31	2003/10/21 10:33			0

	Type	Hits	Search Text	DBs
32	BRS	26	3,558,983	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	16	circuit adj breaker and trip and network and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	29	circuit adj breaker and network and communication and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	9	("4419619" "4535409" "4680706" "4709339" "4717985" "4747061" "4783748" "4794369" "4803635").PN.	USPAT
36	BRS	44	4996646.URPN.	USPAT
37	BRS	10	("4428022" "4672555" "4996646" "5233538" "5420799" "5500781" "5524083" "5525985" "5600527" "6005757").PN.	USPAT
38	BRS	10	"2688951"	USPAT; US-PGPUB
39	BRS	14	"2688951"	USPAT; US-PGPUB; EPO; JPO; DERWENT
40	BRS	26	"96601"	USPAT; US-PGPUB; EPO; JPO; DERWENT
41	BRS	35	4,216,384	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	BRS	7227	(power electrical) adj distribution and communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1569	(power electrical) adj distribution and communication and relay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	709	(power electrical) adj distribution and communication and relay and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	658	(power electrical) adj distribution and communication and relay and delay and current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	6	(power electrical) adj distribution and communication and relay and delay and current adj lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	10	(power electrical) adj distribution and communication and relay and delay and current adj2 lower	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
32	2003/10/21 10:33			0
33	2003/10/21 10:42			0
34	2003/10/21 10:42			0
35	2003/10/21 10:47			0
36	2003/10/21 10:52			0
37	2003/10/21 10:55			0
38	2003/10/21 14:33			0
39	2003/10/21 14:43			0
40	2003/10/21 14:34			0
41	2003/10/21 14:44			0
42	2003/10/21 14:53			0
43	2003/10/21 14:53			0
44	2003/10/21 14:54			0
45	2003/10/21 14:54			0
46	2003/10/21 14:58			0
47	2003/10/21 15:41			0

	Type	Hits	Search Text	DBs
48	BRS	55	4,996,646	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	7	(power electrical) adj distribution and communication and relay and delay and undercurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	14	3,970,898	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	14	3,970,898	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	8	3,970,898 and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1075	circuit adj breaker and isolator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	48	circuit adj breaker and isolator and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	1113	circuit adj breaker and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	48	circuit adj breaker and tie and isolator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	26	5,341,268	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	11	5,341,268 and tie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	19	5,303,112	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	564	361/64	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	391	361/67	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	346	361/68	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	369	361/72	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
48	2003/10/21 16:38			0
49	2003/10/21 16:38			0
50	2003/10/21 16:38			0
51	2003/10/22 11:17			0
52	2003/10/22 11:36			0
53	2003/10/22 11:36			0
54	2003/10/22 11:36			0
55	2003/10/22 11:37			0
56	2003/10/22 15:11			0
57	2003/10/22 15:14			0
58	2003/10/22 15:20			0
59	2003/10/22 15:21			0
60	2003/10/22 17:00			0
61	2003/10/23 08:47			0
62	2003/10/23 17:18			0
63	2003/10/24 12:37			0

	Type	Hits	Search Text	DBs
1	BRS	0	circuit adj breaker same (computer microprocessor processor) same (communication communnicate communicate) and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1	circuit adj breaker same (computer microprocessor processor) and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	circuit adj breaker same multi adj zone and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	1	circuit adj breaker and multi adj zone and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	8	circuit adj breaker and building and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	7	building same wiring same control and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	15	building same wiring same communication and flat adj cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	2	building same wiring same communication and flat adj cable and (ground earth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2	building same wiring same control and flat adj cable and (ground earth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	421	circuit adj breaker same reclosing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	52	circuit adj breaker same reclosing same overcurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	17	circuit adj breaker same reclosing same overcurrent and communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	7	3,673,425	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	968	building same wiring and control and communication and cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	18	circuit adj breaker same building same wiring and control and communication and cable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	16	circuit adj breaker same building same wiring and control and communication and cable and box	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2003/10/23 16:17			0
2	2003/10/23 09:06			0
3	2003/10/23 09:07			0
4	2003/10/23 09:07			0
5	2003/10/23 09:37			0
6	2003/10/23 14:45			0
7	2003/10/23 09:55			0
8	2003/10/23 09:49			0
9	2003/10/23 09:56			0
10	2003/10/23 10:26			0
11	2003/10/23 13:55			0
12	2003/10/23 10:55			0
13	2003/10/23 13:55			0
14	2003/10/23 14:46			0
15	2003/10/23 14:47			0
16	2003/10/23 14:47			0

	Type	Hits	Search Text	DBs
17	BRS	72	circuit adj breaker same (computer microprocessor processor) same (communication communnimating communicate) and ground adj fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	19	circuit adj breaker same (computer microprocessor processor) same (communication communnimating communicate) same ground adj fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	14	3,970,898	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
17	2003/10/23 16:17			0
18	2003/10/23 16:45			0
19	2003/10/23 16:45			0